

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		((group or cluster) with (user or viewer or customer)) with (rating\$1 or interest\$3 or prefer\$3) and (@ad<="19980514" or @rlad<="19980514")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 21:01
		((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<="19980514" or @rlad<="19980514") and (((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and "725"/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video))) and 725/9-61.ccls. and (TV or video or television)and (level\$1 or rank\$3 or max\$6 or minimum or everage or most or least)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 15:01
		retriev\$5 and (register\$ or enter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 13:46
S1	11617	((epg or ipg) or (program or schedule or menu) near2 (guide or listing or menu))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/09 09:52
S2	1388	(725/11,13,16,34-36,39,45,46,49,56,68,85,100,131,139,151).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/22 20:37
S3	175	((epg or ipg) or (program or schedule or menu) near2 (guide or listing or menu))) and ((725/11,13,16,34-36,39,45,46,49,56,68,85,100,131,139,151).ccls.) and (retriev\$5 or 'pull out')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 10:51
S4	143	((epg or ipg) or (program or schedule or menu) near2 (guide or listing or menu))) and ((725/11,13,16,34-36,39,45,46,49,56,68,85,100,131,139,151).ccls.) and (retriev\$5 or 'pull out')and (register\$3 or enter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 11:04
S5	114	((epg or ipg) or (program or schedule or menu) near2 (guide or listing or menu))) and ((725/11,13,16,34-36,39,45,46,49,56,68,85,100,131,139,151).ccls.) and ((retriev\$5 or 'pull out') near5 (information or data or profile))and (register\$3 or enter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 11:05
S6	34830	(group same (gender or profile or cluster or age or sex or 'life stage' or factor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/09 10:17

S7	3807	"725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 13:43
S8	109	((group same (gender or profile or cluster or age or sex or 'life stage' or factor))) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 13:43
S9	54	((group same (gender or profile or cluster or age or sex or 'life stage' or factor))) and "725"/\$.ccls.) and (retriev\$5 and (register\$ or enter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 16:22
S10	243	((user or viewer) near5 (profile\$1 or demograph\$4))same ( : CATV or TV or television)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 18:01
S11	19	((725/13,35,46).ccls.) and (((user or viewer) near5 (profile\$1 or demograph\$4))same ( : CATV or TV or television))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 18:01
S12	1273	((user or viewer) near5 (profile\$1 or demograph\$4))same ( : computer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 18:02
S13	13	((725/13,35,46).ccls.) and (((user or viewer) near5 (profile\$1 or demograph\$4))same ( : computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 18:02
S14	117	(725/13,35,46).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 18:15
S15	144118	takahashi.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 19:02
S16	62	"takahashi.inv.and" ("725"/\$. or "709"/\$.) ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 19:00
S17	4702	takahashi.inv. and (retriev\$4 or register\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 19:03

S18	8	(takahashi.inv. and (retriev\$4 or register\$4)) and ( group same (age or sex or cluster))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 20:22
S19	8	("5081688" or "5179649" or "5406384").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/21 20:24
S20	8212	group same profile\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/22 12:46
S21	272	(group same profile\$1) and ("725"/\$ or "709"/\$ or "348"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/22 12:47
S22	45	(group same profile\$1) and ("725"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/22 13:02
S23	55	725/46.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/22 13:02
S24	51	725/97.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/09 09:52
S25	43	725/97.ccls.and (@ad<="19980514" or @rlad<="19980514")and (max\$4 or minimum or level\$1 or least or most)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 11:28
S26	99	((max\$4 or minimum or least or most)near2 (mode\$1 or button\$1)) and "725"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/19 19:08
S27	92	((((max\$4 or minimum or least or most)near2 (mode\$1 or button\$1)) and "725"/\$.ccls.) and (@ad<="19980514" or @rlad<="19980514"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/09 10:20
S28	3	((group same (gender or profile or cluster or age or sex or 'life stage' or factor)))and (((max\$4 or minimum or least or most)near2 (mode\$1 or button\$1)) and "725"/\$.ccls.) and (@ad<="19980514" or @rlad<="19980514"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/09 10:18

S29	34	((max\$4 or minimum or least or most)near2 (mode\$1 or button\$1)) and "725"/\$.cccls.) and (@ad<="19980514" or @rlad<="19980514")and (retriev\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/09 10:23
S30	44	725/97.cccls.and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/22 20:20
S31	141828	((group\$4 or cluster\$4) same (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/22 20:35
S32	74394	((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/22 20:36
S33	497	((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<="19980514" or @rlad<="19980514")) and "725"/\$.cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 10:54
S34	76	((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<="19980514" or @rlad<="19980514")) and (725/32-36,13, 45-46).cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 10:09
S35	24	((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<="19980514" or @rlad<="19980514")) and (725/45-46).cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 10:52
S36	14	("5550578"   "5596705"   "5600364"   "5614940"   "5640192"   "5652615"   "5720037"   "5754773"   "5774666"   "5861881"   "5894320"   "5900905"   "5929850"   "5931908").PN.	USPAT	OR	OFF	2002/08/22 20:46

S37	34	("4170782"   "4264924"   "4381522"   "4694490"   "4704725"   "4706121"   "4745549"   "4751578"   "4870579"   "4965825"   "4977455"   "4996642"   "5003591"   "5075771"   "5109414"   "5151789"   "5155591"   "5223924"   "5230020"   "5233654"   "5237157"   "5245420"   "5251324"   "5351075"   "5353121"   "5410344"   "5469206"   "5483278"   "5534911"   "5541638"   "5559549"   "5600364"   "5717923"   "5758257").PN.	USPAT	OR	OFF	2002/08/22 20:55
S38	5	("5047867"   "5075771"   "5223924"   "5410344"   "5444499").PN.	USPAT	OR	OFF	2002/08/22 21:05
S39	107	("D301037"   "D314383"   "D325581"   "D329238"   "D331760"   "4361848"   "4398216"   "4488179"   "4517598"   "4587520"   "4621282"   "4633462"   "4688246"   "4697209"   "4706121"   "4712105"   "4712130"   "4724491"   "4792972"   "4829558"   "4860379"   "4876736"   "4947429"   "4949187"   "4959810"   "4961109"   "4975951"   "4977455"   "4995078"   "5001554"   "5014125"   "5015829"   "5020129"   "5027400"   "5036394"   "5038402"   "5046093"   "5047867"   "5056138"   "5077607"   "5078019"   "5093718"   "5103314"   "5105268"   "5132789"   "5132992"   "5133079"   "5144663"   "5150118"   "5151782"   "5151789"   "5166886"   "5172413"   "5182639"   "5202817"   "5223924"   "5237311"   "5237610"   "5247347"   "5253066"   "5253275"   "5260778"   "5282028"   "5283639"   "5285272"   "5289271"   "5293540"   "5293633"   "5319455"   "5319707"   "5327554"   "5339315"   "5341474"   "5343239"   "5345594"   "5349638"   "5351075"   "5353121"   "5355162"   "5357276"   "5365265"   "5367571"   "5390348"   "5396546"   "5400401"   "5404393"   "5404505"   "5410326"   "5412416"   "5414426"   "5416508"   "5440632"   "5442626"   "5446919"   "5461667"   "5469206"   "5477263"   "5479268"   "5481294"   "5481296"   "5481542"   "5483278"   "5515098"   "5561708"   "5561709"   "5644354"   "5663757").PN.	USPAT	OR	OFF	2002/08/22 21:11
S40	23	("4529870"   "4706080"   "4759063"   "4914698"   "4926480"   "4947430"   "4987593"   "5131039"   "5136501"   "5245656"   "5251324"   "5276736"   "5301109"   "5321833"   "5331554"   "5331556"   "5373558"   "5410344"   "5469206"   "5483278"   "5534911"   "5541638"   "5600364").PN.	USPAT	OR	OFF	2002/08/23 09:54

S41	55	((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<="19980514" or @rlad<="19980514")) and (725/32-36,13). ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 10:44
S42	14	("4323922"   "4484217"   "4600921"   "4606072"   "4829569"   "4866770"   "4885775"   "4924498"   "5001554"   "5054071"   "5058160"   "5144664"   "5255086"   "5260778").PN.	USPAT	OR	OFF	2002/08/23 10:27
S43	10	("3639686"   "3947624"   "4170782"   "4210962"   "4258386"   "4331974"   "4546382"   "4573072"   "4602279"   "4603232").PN.	USPAT	OR	OFF	2002/08/23 10:38
S44	1482723	((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 10:48
S45	1511	((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and "725"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 10:47
S46	1016	((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and "725"/\$.ccls. and (group\$3 or cluster\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 10:51
S47	1001	((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and "725"/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 10:52
S48	293	((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<="19980514" or @rlad<="19980514")) and (((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and "725"/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 10:57
S49	293	((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<="19980514" or @rlad<="19980514")) and (((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and "725"/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video)) and "725"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 10:56



S50	293	(((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<="19980514" or @rlad<="19980514")) and (((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and "725"/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video))) and "725"/\$.ccls. and (TV or video or television)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 10:56
S51	293	(((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<="19980514" or @rlad<="19980514")) and (((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and "725"/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video))) and "725"/\$.ccls. and (TV or video or television)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 10:58
S52	126	(((group\$4 or cluster\$4) with (user\$1 or viewer or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history or sex)) and (@ad<="19980514" or @rlad<="19980514")) and (((taste near5 value\$1) or rate or (level\$1 near4 interest\$3))) and "725"/\$.ccls. and (group\$3 or cluster\$3)and (TV or television or video))) and 725/9-61.ccls. and (TV or video or television)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 11:01
S53	1	"4745549".pn. and "725"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 17:56
S54	4	("5075771" or "5223924").pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 15:55
S55	4	("5798785" or "5381477").pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/23 17:56
S56	1	picco.in. and advertisement	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 11:27
S57	50	725/97.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 11:27

S58	9836	tran.xa.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 12:06
S59	20	"tran.xa.and" "725"/\$.ccls. and updat\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 12:07
S60	46	725/97.ccls.and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 14:06
S61	18255	((classifi\$4 or group\$3 or cluster\$3) same (profile\$1 or demograph\$5 or preference\$3)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 13:30
S62	901	((classifi\$4 or group\$3 or cluster\$3) same ((user\$1 or viewer\$1 or personal) with (profile\$1 or demograph\$5 or preference\$3))) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 14:13
S63	61	((classifi\$4 or group\$3 or cluster\$3) same ((user\$1 or viewer\$1 or personal) with (profile\$1 or demograph\$5 or preference\$3))) and (@ad<="19980514" or @rlad<="19980514")) and "725"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 13:26
S64	344	725/9-21.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 13:27
S65	35999	((classifi\$4 or group\$3 or cluster\$3) same (profile\$1 or demograph\$5 or preference\$3 or model\$1)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 13:52
S66	34	725/9-21.ccls. and (((classifi\$4 or group\$3 or cluster\$3) same (profile\$1 or demograph\$5 or preference\$3 or model\$1)) and (@ad<="19980514" or @rlad<="19980514"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 13:51
S67	732	705/7,10.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 13:51
S68	133	705/7,10.ccls. and ((classifi\$4 or group\$3 or cluster\$3) same (profile\$1 or demograph\$5 or preference\$3 or model\$1)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/30 13:31
S69	176	microsoft.as. and profile\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/30 13:32
S70	0	microsoft.as. and profile\$1 and 'neighboring users'	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/30 13:33



S71	5	microsoft.as. and profile\$1 and 'neighboring users'	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/30 13:33
S72	124207	((group\$4 or cluster\$4) same (user\$1 or viewer\$1 or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preferences\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/19 19:12
S73	182	((group\$4 or cluster\$4) same (user\$1 or viewer\$1 or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preferences\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history)))same ((max\$4 or minimum or least or most)near2 (mode\$1 or button\$1 or icon\$1 or selectable)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/19 19:31
S74	0	((group\$4 or cluster\$4) same (user\$1 or viewer\$1 or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preferences\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history)))same ((max\$4 or minimum or least or most)near2 (mode\$1 or button\$1 or icon\$1 or selectable)) and (@ad<="19980514" or @rlad<="19980514")) and ("725"/\$.ccls. or "705"/\$.ccls. or "709"/\$.ccls. or "345"/\$.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/19 19:21
S75	26	((group\$4 or cluster\$4) same (user\$1 or viewer\$1 or gender\$3 or genre\$1 or rate\$1 or profile\$1 or preference\$1 or habit\$1 or interest\$3 or age\$1 or occupation\$1 or job\$1 or tast\$3 or history)))same ((max\$4 or minimum or least or most)near2 (mode\$1 or button\$1 or icon\$1 or selectable)) and (@ad<="19980514" or @rlad<="19980514")) and ("725"/\$ or "705"/\$ or "709"/\$ or "345"/\$).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/19 19:31
S76	56	725/97.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/19 19:31
S77	0	725/97.ccls. and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/19 19:32
S78	47	725/97.ccls. and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/19 19:50
S79	47	725/46.ccls. and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/19 20:09

S80	752	takahashi.in. and retrieval	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/19 20:09
S81	0	takahashi.in. and (information adj retrieval) and (max\$3 adj mode)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/19 20:10
S82	4	takahashi.in. and (information adj retrieval) and taste\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/19 20:11
S83	27315	((top or highest) with (rate or rank\$1)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/01 11:11
S84	14014	((top or highest) near5 (rate or rank\$1)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/01 11:13
S85	125	((((top or highest) near5 (rate or rank\$1)) and (@ad<="19980514" or @rlad<="19980514")) and ("725"/\$.ccis. or "705"/\$.ccis.))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/01 11:12
S86	21	((((top or highest)near3 (movie\$1 or program\$3)) near5 (rate or rank\$1)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/01 11:16
S87	45	((((top or most)near3 (movie\$1 or program\$3 or hit\$1)) near5 (rate or rank\$1)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/01 11:22
S88	16	((top near2 (hit or ten))near3 (movie\$1 or program\$3 or song\$1)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/01 11:24
S89	1508	((rank\$3 or rate\$1) with (interest\$3 or popular\$3 or top) with (least or unlike))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 12:28
S90	86	((rank\$3 or rate\$1) with (interest\$3 or popular\$3 or top) with (least or unlike))same (profile\$1 or reference\$1 or history)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 12:29
S91	68	((((rank\$3 or rate\$1) with (interest\$3 or popular\$3 or top) with (least or unlike))same (profile\$1 or reference\$1 or history)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 13:00
S92	5317	((display\$3 or present\$3) with (un\$1like or un\$1wanted or ((less or "not" ) near2 (popular\$3 or interest\$3)))and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 12:46

S93	3753	((display\$3 or present\$3) near10 (un\$1like or un\$1wanted or ((less or "not" ) near2 (popular\$3 or interest\$3))))and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 12:47
S94	277	((display\$3 or present\$3) near10 (un\$1like or un\$1wanted or ((less or "not" ) near2 (popular\$3 or interest\$3))))and (@ad<="19980514" or @rlad<="19980514") and (interactive)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 12:47
S95	70	((display\$3 or present\$3) near10 (un\$1like or un\$1wanted or ((less or "not" ) near2 (popular\$3 or interest\$3))))and (@ad<="19980514" or @rlad<="19980514") and (interactive)) and ("725"/\$.ccls. or "705"/\$.ccls. or "709"/\$.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 12:49
S96	48	((display\$3 or present\$3) near10 (un\$1like or un\$1wanted or ((less or "not" ) near2 (popular\$3 or interest\$3))))and (@ad<="19980514" or @rlad<="19980514") and (interactive)) and ("725"/\$.ccls. or "705"/\$.ccls. or "709"/\$.ccls.) and (rank\$3 or rate\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 12:56
S97	510	((top or most or maximum) near2 (interest\$1 or popular\$3 or mode or icon)) with ((minimum or less or least or 'not') near2 (interest\$3 or popular\$3 or mode or icon))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 13:00
S98	152	((top or most or maximum) near2 (interest\$1 or popular\$3 or mode or icon)) with ((minimum or less or least or 'not') near2 (interest\$3 or popular\$3 or mode or icon)) same (rat\$3 or rank\$3 or order\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 13:00
S99	132	((top or most or maximum) near2 (interest\$1 or popular\$3 or mode or icon)) with ((minimum or less or least or 'not') near2 (interest\$3 or popular\$3 or mode or icon)) same (rat\$3 or rank\$3 or order\$3)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 13:20
S10 0	2758	((rating or rank\$3) with ((maximum or most or top or highest) and (least or less or minimum))) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 13:22
S10 1	49	((rating or rank\$3) with ((maximum or most or top or highest) and (least or less or minimum)))same (profile\$1 or preference\$1 or histor\$3)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 13:38
S10 2	0	(worst near2 ten)near2 (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 13:39
S10 3	17	(worst near2 ten) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 13:45

S10 4	655	((display\$1 or present\$5) near5 ((block\$3 or excluded or unwanted) near2 (item\$1 or movie\$1 or program\$1 or content))) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 13:47
S10 5	40	((display\$1 or present\$5) near5 ((blocked or excluded or unwanted) near2 (item\$1 or movie\$1 or program\$1 or content))) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 15:35
S10 6	1583	((rate\$1 or rank\$3) near5 (icon\$1 or mode or object\$3) near5 (select\$3 or click\$3)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 15:45
S10 7	24	((rate\$1 or rank\$3) near5 (icon\$1 or mode or object\$3) near5 (select\$3 or click\$3)) and (@ad<="19980514" or @rlad<="19980514") ) and ("725"/\$.ccls. or "705"/\$.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 15:37
S10 8	1171	((rate\$1 or rank\$3) near4 (icon\$1 or mode or object\$3) near4 (select\$3 or click\$3)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 15:46
S10 9	1143	((rate\$1 or rank\$1) near4 (icon\$1 or mode or object\$3) near4 (select\$3 or click\$3)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 16:25
S11 0	921	((rate\$1 or rank\$1) near4 (icon\$1 or mode) near4 (select\$3 or click\$3)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 15:47
S11 1	777	((rate\$1 or rank\$1) near4 (icon\$1 or mode) near4 (select\$3 or click\$3)) and (@ad<="19960514" or @rlad<="19960514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 16:00
S11 2	1	((rate\$1 or rank\$1)near2 (program or movie or item or content) near4 (icon\$1 or mode) near4 (select\$3 or click\$3)) and (@ad<="19960514" or @rlad<="19960514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 15:48
S11 3	2	((rate\$1 or rank\$1)near2 (program or movie or item or content) near4 (icon\$1 or mode) near4 (select\$3 or click\$3)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 15:48
S11 4	10	((rate\$1 or rank\$1)near5 (program or movie or item or content) near4 (icon\$1 or mode) near4 (select\$3 or click\$3)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 15:49
S11 5	20	( rank\$1 near4 (icon\$1 or mode) near4 (select\$3 or click\$3)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 15:57
S11 6	33	youman.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 15:58

S11 7	39565	(display\$3 or present\$3) near4 keyboard	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 15:59
S11 8	25174	(display\$3 or present\$3) near2 keyboard	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 15:59
S11 9	116	(display\$3 or present\$3) near3 icon\$1 near4 keyboard	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 16:00
S12 0	63	((display\$3 or present\$3) near3 icon\$1 near4 keyboard) and (@ad<="19960514" or @rlad<="19960514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 16:05
S12 1	90	(input near4 screen near4 icon\$1) and (@ad<="19960514" or @rlad<="19960514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 16:10
S12 2	0	((input near4 screen near4 icon\$1) and (@ad<="19960514" or @rlad<="19960514") ) and "725"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 16:07
S12 3	29	"725"/\$.ccls. and ((select\$1 near2 (icon\$1 or letter or object)) near6 (display or screen))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 16:15
S12 4	0	\$5zofski.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 16:16
S12 5	28152	display with (star\$1 wit rank\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 16:25
S12 6	29	display with (star\$1 with rank\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 17:00
S12 7	21	(display with (star\$1 with rank\$3)) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 17:00
S12 8	416	display with (star\$1 with (rate\$1 or rank\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 17:01
S12 9	395	(display with (star\$1 with (rate\$1 or rank\$3))) not ((display with (star\$1 with rank\$3)) and (@ad<="19980514" or @rlad<="19980514") )	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 17:00

S13 0	325	((display with (star\$1 with (rate\$1 or rank\$3))) not ((display with (star\$1 with rank\$3)) and (@ad<="19980514" or @rlad<="19980514")) and (@ad<="19980514" or @rlad<="19980514"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 17:01
S13 1	9	display with ((star or stars) with (rate\$1 or rank\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 17:01
S13 2	17	(display\$3 or present\$3) with ((star or stars) with (rate\$1 or rank\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 17:02
S13 3	1997	(display\$3 or presents\$3) with ((star or stars or maximum or minimum) with (rate\$1 or rank\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 17:03
S13 4	2	"5884282".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 17:43
S13 5	3	("4870579"   "4996642"   "5452410").PN.	USPAT	OR	OFF	2003/10/20 17:03
S13 6	27	"5884282".URPN.	USPAT	OR	OFF	2003/10/20 17:03
S13 7	1	"6088722".pn. and (order or priorit\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 18:22
S13 8	1	"6539548".pn. and (order or priorit\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 18:29
S13 9	9	(display\$3 or present\$6) same (ipg or epq or (prgram near2 (guide or list\$3 or menu or schedule\$1))) same (profile\$1 or history or preference\$1) same (order or priorit\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 18:36
S14 0	1	(customiz\$3 near2 (ipg or epq or (prgram near2 (guide or list\$3 or menu or schedule\$1)))) same (profile\$1 or history or preference\$1) same (order or priorit\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 18:37
S14 1	3	(customiz\$3 near2 (ipg or epq or (prgram near2 (guide or list\$3 or menu or schedule\$1)))) same (profile\$1 or history or preference\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 18:38
S14 2	3	(customiz\$3 with (ipg or epq or (prgram near2 (guide or list\$3 or menu or schedule\$1)))) same (profile\$1 or history or preference\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 18:38
S14 3	8	(customiz\$3 same (ipg or epq or (prgram near2 (guide or list\$3 or menu or schedule\$1)))) same (profile\$1 or history or preference\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 18:39



S14 4	29	(customiz\$3 same (ipg or epq or (prgram near2 (guide or list\$3 or menu or schedule\$1))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 18:41
S14 5	32	(customiz\$6 same (ipg or epq or (prgram near2 (guide or list\$3 or menu or schedule\$1))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/20 18:41
S14 6	2	jacobi.in. and startup	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 11:29
S14 7	7	("4870579"   "4996642"   "5704017"   "5790426"   "5897622"   "5905973"   "5918014").PN.	USPAT	OR	OFF	2003/12/04 11:29
S14 8	88	(rate\$1 or rating\$1) same ((similar or "same") near3 taste\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 11:31
S14 9	74	((rate\$1 or rating\$1) same ((similar or "same") near3 taste\$1)) and (@ad<="19980514" or @riad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 11:31
S15 0	614246	Reuben.xa. profile\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 19:29
S15 1	12	Reuben.xa. and profile\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 19:39
S15 2	6681	((group or cluster) with (user or viewer or customer)) same (rat\$5 or interest\$3 or prefer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 19:55
S15 3	3473	((group or cluster) with (user or viewer or customer)) with (rat\$5 or interest\$3 or prefer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 19:56
S15 4	1883	((group or cluster) with (user or viewer or customer)) with (rating\$1 or interest\$3 or prefer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 19:58
S15 5	120	(((((group or cluster) with (user or viewer or customer)) with (rating\$1 or interest\$3 or prefer\$3)) and (@ad<="19980514" or @riad<="19980514")) and ("725"/\$.ccls. or "705"/\$.ccls.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 21:00

S15 6	975	like near5 dislike	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 21:01
S15 7	352	((like near5 dislike) and (@ad<="19980514" or @rlad<="19980514"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 21:01
S15 8	391	((like near5 dislike) same (profile or preference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 21:02
S15 9	106	((like near5 dislike) same (profile or preference)) and (@ad<="19980514" or @rlad<="19980514"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 21:02
S16 0	258	((like near5 dislike) with (profile or preference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 21:02
S16 1	61	((like near5 dislike) with (profile or preference)) and (@ad<="19980514" or @rlad<="19980514"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 21:02
S16 2	0	"5798785".pn. and (group near2 user\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 16:23
S16 3	0	"5798785".pn. and (group near5 user\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 16:24
S16 4	0	"5798785".pn. and (group near10 user\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 16:24
S16 5	1	"5798785".pn. and (group near10 (viewer or user\$1 consumer or device))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 16:25
S16 6	1	"5798785".pn. and (group near10 (viewer or user\$1 consumer or device or subscriber))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 16:25
S16 7	0	"5798785".pn. and (group with demographic)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 16:25

S16 8	0	"5798785".pn. and (group same demographic)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 16:25
S16 9	36385	(cluster or group\$3) with (user\$1 or consumer or viewer or subscriber)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 16:52
S17 0	16	((cluster or group\$3) with (user\$1 or consumer or viewer or subscriber)) and Hendricks.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 16:47
S17 1	2	"5903314".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 16:48
S17 2	2020	((cluster or group\$3) with (user\$1 or consumer or viewer or subscriber)) and ("725"/\$.ccls. or "705"/\$.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 16:54
S17 3	1297	((cluster or group\$3) with (user\$1 or consumer or viewer or subscriber)) same (rating or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 16:53
S17 4	1449	((cluster or group\$3) with (user\$1 or consumer or viewer or subscriber)) same (rating or rate or taste or favorit\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 16:53
S17 5	2020	((cluster or group\$3) with (user\$1 or consumer or viewer or subscriber)) and ("725"/\$.ccls. or "705"/\$.ccls.) and ("725"/\$.ccls. or "705"/\$.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 16:54
S17 6	164	((cluster or group\$3) with (user\$1 or consumer or viewer or subscriber)) same (rating or rate or taste or favorit\$3) and ("725"/\$.ccls. or "705"/\$.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 16:54
S17 7	121	((cluster or group\$3) with (user\$1 or consumer or viewer or subscriber)) same (rating or rate or taste or favorit\$3) and ("725"/\$.ccls. or "705"/\$.ccls.) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 16:54
S17 8	4	((advertis\$3 or commercial\$3) same (movie\$1 same request\$3) same (fee or charge\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 12:41
S17 9	57	((advertis\$3 or commercial\$3) same (movie\$1) same (fee or charge\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 12:42
S18 0	122	gerace.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 12:06

S18 1	34	gerace.in. and rate\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 12:06
S18 2	2	gerace.in. and rate\$1 and (user near2 (profile or history or behavior\$1 or activit\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 12:14
S18 3	2	"6112186".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 12:14
S18 4	2	gerace.in. and rate\$1 and (user near2 (profile or history or behavior\$1 or activit\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 10:26
S18 5	6	("6240555" "6108706" "20020069113").pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 10:28
S18 6	2	("20020069113").pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 13:25
S18 7	2	"6421694".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 19:53
S18 8	54	shoff.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 19:53
S18 9	2	shoff.in. and interactive and URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:47
S19 0	877	cao.xa.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:47
S19 1	31	cao.xa. and news	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:49
S19 2	16	cao.xa. and sport\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:50
S19 3	322	nguyen.xa. and sport\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:50

S19 4	30	nguyen.xa. and sport\$1 and baseball	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:51
S19 5	20	nguyen.xa. and sport\$1 and football\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:52
S19 6	15	football\$1 same sport\$1 same education\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:52
S19 7	15	(football\$1 same sport\$1) same education\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:52
S19 8	106	(football\$1 same sport\$1) and education\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:53
S19 9	46	(football\$1 same sport\$1) and education\$1 and movie\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:53
S20 0	11	("5390295"   "5594509"   "5596373"   "5724521"   "5737029"   "5801747"   "5929932"   "6002394"   "6029176"   "6133909"   "6151059").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/23 15:54
S20 1	1	("6608633").URPN.	USPAT	OR	OFF	2005/03/23 16:01
S20 2	1	"5848396".pn.	USPAT	OR	OFF	2005/03/23 16:01
S20 3	214	("5848396").URPN.	USPAT	OR	OFF	2005/03/23 16:04
S20 4	9	("4659314"   "4718106"   "4930011"   "5260778"   "5446891"   "5446919"   "5504675"   "5515098"   "5636346").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/23 16:06
S20 5	19	S203 and (taste\$1 and like)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/23 16:06
S20 6	55	S203 and (taste\$1 or like)and (@ad<="19980514" or @rlad<="19980514")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/23 16:07
S20 7	1	725/97.ccls. and (age\$1 or gender\$1) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 10:06
S20 8	43	725/97.ccls. and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 10:10

S20 9	30	725/32,35-36.ccls. and (age\$1 or gender\$1) and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 17:57
S21 0	11	Klosterman.in. and message\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:03
S21 1	2894	(group\$3 or cluster\$3) with ('same' near4 (equipment\$1 or device\$1 or receiver\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:06
S21 2	1963	S211 and (@ad<="19980514" or @rlad<="19980514")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:04
S21 3	23	S212 and ("725"/\$.ccls. or "705"/\$.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:07
S21 4	33	(group\$3 or cluster\$3) near5 (customer\$1 or viewer\$1 or user\$1) with ('same' near4 (equipment\$1 or device\$1 or receiver\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:07
S21 5	2	S214 and ("725"/\$.ccls. or "705"/\$.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 18:07